

DESIGN FEATURES

SHURFIT® ALIF SYSTEM


3 Points of Insertion

facilitate anterior, anterolateral and direct lateral insertion




Anatomical Shape & Central Strut

provide a large surface area for anterior column support



Large Graft Windows

allow for a large volume of biological ingrowth





AnyPlus[®]
ALIF CAGES

A comprehensive system
for anterior lumbar
interbody fusion

KEY FEATURES & BENEFITS

MULTIPLE FOOTPRINTS

- Multiple heights, lengths and lordotic options conform to varying patient anatomies

ANATOMICAL DESIGN

- Implant mimics the natural shape of the intervertebral disc anatomy

AGGRESSIVE TOOTH PATTERN

- Provides stability and reduces the risk of implant migration

LARGE GRAFT FENESTRATIONS

- Allow for a higher volume of bone grafting material resulting in good bony ingrowth

MATERIAL PROPERTIES

- Cages are manufactured from PEEK-OPTIMA[®] a biocompatible, radiolucent polymer that enhances visualization of bone growth in and around the implant
- Embedded tantalum markers facilitate intraoperative placement and radiographic confirmation of implant position

GSMedicalUSA.com

High-QUALITY
COST-EFFECTIVE
SURGICAL SOLUTIONS



Designed to restore proper disc height and provide immediate stabilization via an anterior approach. This allows for a larger construct to achieve good compression and eliminates dissection of the paraspinal muscles and nerves.

Simple and intuitive instrumentation facilitates easy cage insertion.



AnyPlus® ALIF Cages

■ Included in ALIF set

| | | 31mm width | | | | | | | | | | | |
|------------------------|----|-------------|----|----|----|----|----|----|----|----|----|----|---|
| | | Height (mm) | | | | | | | | | | | |
| Lordosis / Length (mm) | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
| | 0° | 23 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 4° | 23 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 8° | 23 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |

| | | 35mm width | | | | | | | | | | | |
|------------------------|----|-------------|----|----|----|----|----|----|----|----|----|----|---|
| | | Height (mm) | | | | | | | | | | | |
| Lordosis / Length (mm) | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
| | 0° | 27 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 4° | 27 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 8° | 27 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 11° | 27 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | |

| | | 38mm width | | | | | | | | | | | |
|------------------------|----|-------------|----|----|----|----|----|----|----|----|----|----|---|
| | | Height (mm) | | | | | | | | | | | |
| Lordosis / Length (mm) | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
| | 0° | 29 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 4° | 29 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 8° | 29 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 11° | 29 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | |

| | | 42mm width | | | | | | | | | | | |
|------------------------|----|-------------|----|----|----|----|----|----|----|----|----|----|---|
| | | Height (mm) | | | | | | | | | | | |
| Lordosis / Length (mm) | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
| | 0° | 31 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 4° | 31 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| | 8° | 31 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 11° | 31 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | |

GSMedicalUSA.com



866.904.8144

5200 SOQUEL AVE, STE 104
SANTA CRUZ, CA 95062 U.S.A.

GS100-106-LIT