

# Transom<sup>™</sup>

## ANTERIOR CERVICAL PLATING SYSTEM


### System Features

- Simple, One-Step Active Locking Mechanism at Each Level with Visual Lock Verification
- Large Graft Window Enables Graft & Anatomical Landmark Visualization
- Scalloped Sides for Lateral Visualization
- Low Profile Design to Optimize Patient Comfort
- Pre-Contoured Plates in a Large Assortment of Lengths to Simplify Surgical Procedure
- Self-Drilling, Self-Tapping, Fixed & Variable Angle Screws for Hybrid Constructs



# Crafted for Perfection Transom™

## Plates



## Screws



## Plate Size

Plates	Length (mm)											
Level	1	10	12	14	16	18	20	22	24	26		
	2	24	26	28	30	32	34	37	40	43	46	
	3	39	42	45	48	51	54	57	60	63	66	69
	4	60	64	68	72	76	80	84				
	5	85	90	95	100							


■ Standard Sizes

■ Non-Standard Sizes

## Fixed & Variable Screw Size

	Length (mm)					
Self-Tapping	4.0	10	12	14	16	18
	4.5	10	12	14	16	18
Self-Drilling	4.0	10	12	14	16	18

## Angulation




16 Technology Drive, Suite 165  
Irvine, CA 92618  
Ph/Fax: 800.352.6103  
neurostructures.com

**NEURO**<sup>®</sup>  
STRUCTURES



# *Nakoma-SL*





*Anterior Cervical Plating  
System*



**AllianceSpine™**

*Inspiring Solutions Through Innovation*

## Key Features



Self-Drilling Screws



Self-Tapping Screws



Low Profile

