



PRODUCT SUMMARY



PRECISION SPINE
SURELOKTM PC
POSTERIOR CERVICAL SYSTEM

Screws

Sizes

- Available in 3.5mm and 4.0 mm diameters
- Accomodates 3.5 mm rod
- Self Drilling, Self Tapping
- Titanium Alloy

3.5mm Diameter

3.5 Lengths

- 8mm
- 10mm
- 12mm
- 14mm
- 16mm
- 18mm
- 20mm
- 25mm
- 30mm
- 35mm
- 40mm




4.0mm Diameter

4.0 Lengths

- 8mm
- 10mm
- 12mm
- 14mm
- 16mm
- 18mm
- 20mm
- 25mm
- 30mm
- 35mm
- 40mm



- 11 mm Tulip Height
- 80 degree total angulation
- Square threaded locking cap
- Bone screw 2.5mm Hex
- Locking Cap T15



80° Total Angulation

Rods

Straight Rod

3.5mm

Lengths

- | | |
|------|-------|
| 20mm | 80mm |
| 30mm | 90mm |
| 40mm | 100mm |
| 50mm | 120mm |
| 60mm | 240mm |
| 70mm | |




Transition Rod

3.5mm to 5.5mm

Lengths

500mm



Lateral Offsets/Hooks/Dominoes

Lateral Offsets:

Open & Closed

- Lengths
- 14mm
 - 25mm



Hooks:

Straight, Right Offset & Left Offset




Dominoes:

3.5mm Straight & Parallel



Drill Guides:



Cap Screws

- Tulip, offset, hooks - T15
- Cross connector - T15
- Dominoes - T15



Crosslinks

Adjustable Tulip-to-Tulip Connection

- Titanium alloy
- Attaches to the tulip heads
- Male Hex 6mm

Lengths

30mm	30mm - 35mm Adjustable
35mm	35mm - 45mm Adjustable
45mm	45mm - 65mm Adjustable



1.180
[30mm]



1.393
[35mm]



1.386
[35mm]



1.785
[45mm]



1.780
[45mm]




2.565
[65mm]

Cross-Link Cap Screw
Torque Pressure: 18in-lbs



Bone Awl/Bone Punch

4mm Length 2mm Diameter



Alamo C

Part Numbers	Description
1412I-005	14mm x 12mm x 5mm x 0° Alamo C
1412I-006	14mm x 12mm x 6mm x 0° Alamo C
1412I-007	14mm x 12mm x 7mm x 0° Alamo C
1412I-008	14mm x 12mm x 8mm x 0° Alamo C
1412I-009	14mm x 12mm x 9mm x 0° Alamo C
1412I-010	14mm x 12mm x 10mm x 0° Alamo C
1412I-011	14mm x 12mm x 11mm x 0° Alamo C
1412I-012	14mm x 12mm x 12mm x 0° Alamo C

Part Numbers	Description
1412I-705	14mm x 12mm x 5mm x 7° Alamo C
1412I-706	14mm x 12mm x 6mm x 7° Alamo C
1412I-707	14mm x 12mm x 7mm x 7° Alamo C
1412I-708	14mm x 12mm x 8mm x 7° Alamo C
1412I-709	14mm x 12mm x 9mm x 7° Alamo C
1412I-710	14mm x 12mm x 10mm x 7° Alamo C
1412I-711	14mm x 12mm x 11mm x 7° Alamo C
1412I-712	14mm x 12mm x 12mm x 7° Alamo C


Part Numbers	Description
1714I-005	17mm X 14mm X 5mm X 0° Alamo C
1714I-006	17mm X 14mm X 6mm X 0° Alamo C
1714I-007	17mm X 14mm X 7mm X 0° Alamo C
1714I-008	17mm X 14mm X 8mm X 0° Alamo C
1714I-009	17mm X 14mm X 9mm X 0° Alamo C
1714I-010	17mm X 14mm X 10mm X 0° Alamo C
1714I-011	17mm X 14mm X 11mm X 0° Alamo C
1714I-012	17mm X 14mm X 12mm X 0° Alamo C

Part Numbers	Description
1714I-705	17mm X 14mm X 5mm X 7° Alamo C
1714I-706	17mm X 14mm X 6mm X 7° Alamo C
1714I-707	17mm X 14mm X 7mm X 7° Alamo C
1714I-708	17mm X 14mm X 8mm X 7° Alamo C
1714I-709	17mm X 14mm X 9mm X 7° Alamo C
1714I-710	17mm X 14mm X 10mm X 7° Alamo C
1714I-711	17mm X 14mm X 11mm X 7° Alamo C
1714I-712	17mm X 14mm X 12mm X 7° Alamo C

Part Numbers	Description
2016I-005	20mm X 16mm X 5mm X 0° Alamo C
2016I-006	20mm X 16mm X 6mm X 0° Alamo C
2016I-007	20mm X 16mm X 7mm X 0° Alamo C
2016I-008	20mm X 16mm X 8mm X 0° Alamo C
2016I-009	20mm X 16mm X 9mm X 0° Alamo C
2016I-010	20mm X 16mm X 10mm X 0° Alamo C
2016I-011	20mm X 16mm X 11mm X 0° Alamo C
2016I-012	20mm X 16mm X 12mm X 0° Alamo C

Part Numbers	Description
2016I-705	20mm X 16mm X 5mm X 7° Alamo C
2016I-706	20mm X 16mm X 6mm X 7° Alamo C
2016I-707	20mm X 16mm X 7mm X 7° Alamo C
2016I-708	20mm X 16mm X 8mm X 7° Alamo C
2016I-709	20mm X 16mm X 9mm X 7° Alamo C
2016I-710	20mm X 16mm X 10mm X 7° Alamo C
2016I-711	20mm X 16mm X 11mm X 7° Alamo C
2016I-712	20mm X 16mm X 12mm X 7° Alamo C

Alamo C



**Cervical Interbody System
Surgical Technique**

AllianceSpine™
Inspiring Solutions Through Innovation

14206 Northbrook Dr
San Antonio, TX 78232

P:(210) 314-2525 • F:(210) 314-2524
E: info@alliance-spine.com • www.alliance-spine.com
MKT-100 Rev. F

AllianceSpine™
Inspiring Solutions Through Innovation